



Webseiten-Bericht für amb.org

Generiert am 06 Juni 2025 20:00 PM

Der Wert ist 43/100



SEO Inhalte

	Seitentitel	AMB Laboratories Länge : 16 Perfekt, denn Ihr Seitentitel enthält zwischen 10 und 70 Anzahl Zeichen.
	Seitenbeschreibung	AMB Laboratories Länge : 16 Ideal, aber Ihre Seitenbeschreibung sollte zwischen 70 und 160 Zeichen (Leerzeichen incinbegriffen) enthalten. Benutzen Sie dieses kostenlose Werkzeug um die Länge zu prüfen.
	Suchbegriffe	amb, mini3, mini³, Mini³, mini 3, mini-cubed, cavalli, kan, kumisa, ck2, ck3, ck2iii, ckki, ckk3, sigma22, sigma 22, s22, σ22, sigma11, sigma 11, s11, σ11, sigma25, sigma 25, s25, σ25, sigma26, sigma 26, s26, σ26, sigma24, sigma 24, s24, σ24, sigma78, sigma 78, s78, σ78, sigma79, sigma 79, s79, σ79, alpha10, alpha 10, a10, α10, alpha20, alpha 20, a20, α20, alpha24, alpha 24, a24, α24, beta22, beta 22, b22, β22, beta24, beta 24, b24, β24, gamma1, γ1, γ1, gamma1.5, gamma 1.5, γ1.5, γ1.5, gamma2, gamma 2, γ2, γ2, gamma3, gamma 3, γ3, γ3, gamma24, gamma 24, γ24, γ24, epsilon21, epsilon 21, e21, ε21, epsilon22, epsilon 22, e22, ε22, epsilon27, epsilon 27, e27, ε27, epsilon12, epsilon 12, e12, ε12, kappaDCX, kappadcx, kappa DCX, kDCX, kdcx, κDCX, mmm, m-cubed, m3, m³, M³, omicron 1, omicron1, o1, o1, zeta1, zeta 1, z1, ζ1, audio-widget, audio widget, lcludino-1, lcludino1, lcludino, delta1, delta 1, d1, δ1, delta2, delta 2, d2, δ2, chi1, chi 1, x1, χ1, jisbos, headphone, headphones, earphone, amplifier, mosfet, amp, opamp, op-amp, audio, audiophile, protection, balanced, unbalanced, single ended, active ground, sennheiser, akh, beyer dynamic, grado, etymotic, grace, koss, sony, ppa, pimeta, mint, pint, meta42, steps, cmoy, dynahi, dynalo, dynamid, dynamite, dynamight, kevin gilmore, headroom, headsave, headamp, larocco, ppl, morsel, tangent, diy, sds labs, sheldon stokes, szekeres, head-fi, headwize, hi-fi, high-fidelity, high-end, music, electronics, behringer, ultradrive, ultradrive pro, dcx2496, dcx2496le, DCX2496, DCX2496LE, digital signal processing, dsp, electronic crossover, loudspeaker management, sft, jmt, misterx, rockhopper, ybm audio, beezar, mute audio, toole audio, ecp audio, doodlebug, grubdac, pete millett, ssmh, starving student, millett hybrid, millett max, minimax, skeleton dac, torpedo, walt jung, erno borbely, john curl, nelson pass, passdiy, pass

SEO Inhalte

		labs, siegfried, linkwitz, hafler, dynaco, twisted pear, henry audio, massdrop Gut, denn Ihre Webseite enthält Suchbegriffe.												
	Og META Eigenschaften	Sehr gut, denn diese Webseite nutzt die Vorteile aus den Og Properties. <table><tr><th>Eigenschaft</th><th>Inhalt</th></tr><tr><td>url</td><td>https://www.amb.org/</td></tr><tr><td>type</td><td>website</td></tr><tr><td>title</td><td>AMB Laboratories DIY audio resources</td></tr><tr><td>description</td><td>AMB Laboratories DIY audio resources</td></tr><tr><td>image</td><td>https://www.amb.org/audio/amb-logo.jpg</td></tr></table>	Eigenschaft	Inhalt	url	https://www.amb.org/	type	website	title	AMB Laboratories DIY audio resources	description	AMB Laboratories DIY audio resources	image	https://www.amb.org/audio/amb-logo.jpg
Eigenschaft	Inhalt													
url	https://www.amb.org/													
type	website													
title	AMB Laboratories DIY audio resources													
description	AMB Laboratories DIY audio resources													
image	https://www.amb.org/audio/amb-logo.jpg													
	Überschriften	<table><tr><th>H1</th><th>H2</th><th>H3</th><th>H4</th><th>H5</th><th>H6</th></tr><tr><td>0</td><td>0</td><td>5</td><td>4</td><td>0</td><td>0</td></tr></table> • [H3] DIY Audio Resources • [H3] AMB projects • [H3] Shop • [H3] Forum • [H3] Links • [H4] Resources • [H4] Audio-related Web Forums • [H4] Online Calculators • [H4] Vendors	H1	H2	H3	H4	H5	H6	0	0	5	4	0	0
H1	H2	H3	H4	H5	H6									
0	0	5	4	0	0									
	Bilder	Es konnten 8 Bilder auf dieser Webseite gefunden werden. Bei 7 Bilder(n) fehlt ein ALT-Attribut. Fügen Sie ALT-Attribute zu Ihren Bildern, um die Bedeutung der Bilder für Suchmaschinen zugänglich zu machen.												
	Text/HTML Verhältnis	Anteil : 1% Das Text zu HTML Code Verhältnis dieser Webseite ist niedriger als 15 Prozent, was bedeutet, dass Sie mehr Inhalte für Ihre Webseite schreiben sollten.												
	Flash	Perfekt, denn es wurde kein Flash auf Ihrer Webseite gefunden.												
	IFrame	Großartig, denn Sie verwenden keine IFrames auf Ihrer Webseite.												

SEO Links

	URL Rewrite	Gut. Ihre Links sind für Suchmaschinen gut lesbar (sprechende Links)!
	Underscores in the URLs	Wir haben Unterstriche in Ihren Links entdeckt. Benutzen Sie zur Optimierung besser Bindestriche in Ihren Links.
	In-page links	We found a total of 146 links including 6 link(s) to files
	Statistics	Externe Links : noFollow 0% Externe Links : natürliche Links 75.34% Interne Links 24.66%

In-page links

Anker	Typ	Natürlich
&nbsp;Share	extern	natürliche Links
AMB audio shop	intern	natürliche Links
AMB DIY audio forum	intern	natürliche Links
&alpha;10 stereo pre-amplifier	intern	natürliche Links
&alpha;20 high performance line amplifier	intern	natürliche Links
&alpha;24 fully-differential line amplifier	intern	natürliche Links
&beta;24 fully-differential power amplifier	intern	natürliche Links
LCDuino-1 display I/O processor	intern	natürliche Links
&delta;1 relay-based R-2R stereo attenuator	intern	natürliche Links
&delta;2 relay-based stereo input/output selector	intern	natürliche Links
Mini&sup3; portable stereo headphone amplifier	intern	natürliche Links
&chi;1 LiPo battery management board	intern	natürliche Links
M&sup3; stereo headphone amplifier	intern	natürliche Links
Cavalli-Kan Kumisa III stereo headphone amplifier	intern	natürliche Links
&beta;22 stereo amplifier	intern	natürliche Links
&epsilon;21 backplane board	intern	natürliche Links

In-page links

&epsilon;22 backplane board	intern	natürliche Links
&gamma;1 modular miniature DAC	intern	natürliche Links
&gamma;1.5 miniature high resolution USB DAC + headphone amplifier	intern	natürliche Links
&gamma;2 compact high performance DAC	intern	natürliche Links
&gamma;3 high resolution DAC	intern	natürliche Links
&gamma;24 high performance DAC core	intern	natürliche Links
&zeta;1 Audio Widget asynchronous USB-I²S module	intern	natürliche Links
&sigma;11 regulated power supply	intern	natürliche Links
&sigma;22 regulated power supply	intern	natürliche Links
&sigma;24 transformer board	intern	natürliche Links
&sigma;25 positive regulated power supply	intern	natürliche Links
&sigma;26 negative regulated power supply	intern	natürliche Links
&sigma;78 and &sigma;79 ultra low noise voltage regulators	intern	natürliche Links
&kappa;DCX fully-differential analog board for Behringer DCX2496 and DCX2496LE	intern	natürliche Links
&omicron;1 precision master clock	intern	natürliche Links
&epsilon;12 muting delay & DC offset protection circuit	intern	natürliche Links
&epsilon;24 power switch driver circuit	intern	natürliche Links
&epsilon;27 volume control pot mounting board	intern	natürliche Links
Acoustic Treatment and Design for Recording Studios and Listening Rooms	extern	natürliche Links
AllAboutCircuits: news, articles, education and projects	extern	natürliche Links
AudioXpress	extern	natürliche Links
Audio Component Grounding and Interconnection	extern	natürliche Links
Audio Test Files	extern	natürliche Links
Basic soldering tips	intern	natürliche Links
Circuit diagram	extern	natürliche Links
Considerations for a High Performance Capacitor	extern	natürliche Links
Counterfeit transistors	extern	natürliche Links

In-page links

DIY A/V RCA Compression Connector Cables	extern	natürliche Links
DIY Audio Projects	extern	natürliche Links
DMMs (digital multimeters)	extern	natürliche Links
Datasheet Archive	extern	natürliche Links
Discover Circuits	extern	natürliche Links
Krishu.de	extern	natürliche Links
EE Power	extern	natürliche Links
EEweb Forum	extern	natürliche Links
EEweb Germany	extern	natürliche Links
Electronics Point	extern	natürliche Links
Eminent Technology's Multimedia Loudspeaker Test	extern	natürliche Links
How to evaluate changes in my playback system	extern	natürliche Links
JFET biasing tutorial	extern	natürliche Links
Linear Audio	extern	natürliche Links
Lynn Olson's "The Art of Speaker Design"	extern	natürliche Links
Mil-spec resistors	extern	natürliche Links
MOSFET Testing	extern	natürliche Links
Measurements	extern	natürliche Links
Mounting considerations for power semiconductors	extern	natürliche Links
Nelson Pass (Pass Labs) DIY site	extern	natürliche Links
(Part I)	extern	natürliche Links
(Part II)	extern	natürliche Links
Per-Anders Sjöström's hifi pages	extern	natürliche Links
RaneNote 110	extern	natürliche Links
RaneNote 151	extern	natürliche Links
RightMark Audio Analyzer (RMAA)	extern	natürliche Links
Sam Electronic Circuits	extern	natürliche Links
Standard resistor values	extern	natürliche Links

In-page links

Studio Articles & Advice	extern	natürliche Links
Surface mount soldering 101	extern	natürliche Links
Tangent's Audiologica	extern	natürliche Links
The Amplifier Institute	extern	natürliche Links
The Art of Electronics	extern	natürliche Links
The Sound of Capacitors	extern	natürliche Links
"Upgrading" computers with linear regulated power supplies	extern	natürliche Links
W. Marshall Leach's web site	extern	natürliche Links
Walt Jung's web site	extern	natürliche Links
Zener diode reference	extern	natürliche Links
AndAudio.com	extern	natürliche Links
Audiohall	extern	natürliche Links
Audio Asylum	extern	natürliche Links
AudioCircle.com	extern	natürliche Links
diyAudio.com	extern	natürliche Links
diyforums.org	extern	natürliche Links
erji.net	extern	natürliche Links
Headwize Memorial	extern	natürliche Links
Head-case.org	extern	natürliche Links
Head-Fi.org	extern	natürliche Links
headphoneamp.co.kr	extern	natürliche Links
sgheadphones.net	extern	natürliche Links
tapeheads.net	extern	natürliche Links
Capacitor value unit conversion	extern	natürliche Links
dB to voltage gain calculator	extern	natürliche Links
Voltage gain to dB calculator	extern	natürliche Links
A collection of calculators for electronics	extern	natürliche Links
LED current-limiting resistor value calculator	extern	natürliche Links

In-page links

LM317 voltage regulator resistor values calculator	extern	natürliche Links
Op-amp noise calculator	extern	natürliche Links
Phono cartridge loading resistance and capacitance	extern	natürliche Links
Resistor color bands	extern	natürliche Links
Various speaker design related calculators	extern	natürliche Links
Stepped attenuator resistor values	extern	natürliche Links
Wire inductance calculator	extern	natürliche Links
Wire resistance calculator	extern	natürliche Links
Allied Electronics	extern	natürliche Links
Angela Instruments	extern	natürliche Links
Apex Jr.	extern	natürliche Links
Audio Nirvana	extern	natürliche Links
Avel-Lindberg	extern	natürliche Links
B&D Enterprises	extern	natürliche Links
CadSoft Eagle Lite	extern	natürliche Links
Cimarron Technology	extern	natürliche Links
Circuit Specialists	extern	natürliche Links
Web-tronics.com	extern	natürliche Links
Conrad Heatsinks	extern	natürliche Links
Digi-key	extern	natürliche Links
Element14	extern	natürliche Links
Elliot Sound Products	extern	natürliche Links
ERSE Audio	extern	natürliche Links
Express PCB	extern	natürliche Links
Farnell	extern	natürliche Links
Front Panel Express	extern	natürliche Links
Hammond Manufacturing	extern	natürliche Links
Handmade	extern	natürliche Links

In-page links

Imagineering (PCBnet)	extern	natürliche Links
Lansing Enclosures	extern	natürliche Links
Madisound Speaker Components	extern	natürliche Links
Mills Precision Audio	extern	natürliche Links
Mouser	extern	natürliche Links
MCM Electronics	extern	natürliche Links
Newark Electronics	extern	natürliche Links
Par Metal	extern	natürliche Links
Parts Connexion	extern	natürliche Links
Parts Express	extern	natürliche Links
Percy Audio	extern	natürliche Links
Plitron	extern	natürliche Links
PCBway	extern	natürliche Links
RS Components	extern	natürliche Links
Speaker City	extern	natürliche Links
SumR (Richard Sumner Technology)	extern	natürliche Links
THL Audio	extern	natürliche Links
contact form	intern	natürliche Links
=	intern	natürliche Links

SEO Suchbegriffe

	Suchbegriffswolke	facebook share amb laboratories amb
--	-------------------	--

Keywords Consistency

Suchbegriff	Inhalt	Seitentite l	Suchbegri ffe	Seitenbes chreibung	Überschri ften
amb	1	✓	✓	✓	✓

Keywords Consistency

laboratories	1	✓	✗	✓	✗
share	1	✗	✗	✗	✗
amb	1	✗	✗	✗	✗
facebook	1	✗	✗	✗	✗

Benutzerfreundlichkeit

	URL	Domain : amb.org Länge : 7
	Favoriten Icon	Gut. Die Webseite hat ein Favicon.
	Druckeigenschaften	Es konnten keine druckfreundlichen CSS-Angaben gefunden werden.
	Sprache	Es wurde in den META-Elementen keine Sprache deklariert. Benutzen Sie dieses kostenlose Werkzeug um ein META-Element für die Sprache zu erzeugen.
	Dublin Core	Diese Webseite nutzt nicht die Vorteile der Dublin Core Elemente.

Dokument

	Doctype	Fehlender Doctype						
	Verschlüsselung	Perfekt, denn Ihre Webseite deklariert einen Zeichensatz: UTF-8.						
	W3C Validität	Fehler : 4 Warnungen : 0						
	E-Mail Datenschutz	Sehr gut, denn es wurde keine E-Mail Adresse im Klartext auf Ihrer Webseite gefunden.						
	Veraltetes HTML	<table><tr><th>Veraltete Tags</th><th>Vorkommen</th></tr><tr><td></td><td>2</td></tr><tr><td><dir></td><td>4</td></tr></table> Überholte (deprecated) HTML Tags sind HTML Tags, die zwar aktuell	Veraltete Tags	Vorkommen		2	<dir>	4
Veraltete Tags	Vorkommen							
	2							
<dir>	4							

Dokument

		funktionieren, aber bald nicht mehr von jedem Browser unterstützt werden. Wir empfehlen Ihnen diese überholten HTML Tags durch aktuelle HTML Tags zu ersetzen.
	Tipps zur Webseitengeschwindigkeit	❌ Achtung! Versuchen Sie verschachtelte Tabellen auf Ihrer Webseite zu vermeiden. ❌ Schlecht, denn es wurden CSS-Angaben in HTML-Elementen entdeckt. Diese Angaben sollten in ein entsprechendes CSS-Stylesheet verlagert werden. ✅ Gut, denn Ihre Webseite enthält nur wenig CSS-Dateien. ✅ Perfekt, denn Ihre Webseite enthält nur wenig Javascript-Dateien. ❌ Ihre Webseite nutzt die Vorteile von gzip nicht.

Mobile

	Mobile Optimierung	❌ Apple Icon ❌ META Viewport Tag ✅ Flash Inhalt
---	--------------------	---

Optimierung

	XML-Sitemap	Fehlt Ihre Webseite hat keine XML-Sitemap. Dies könnte Probleme machen. Eine Sitemap listet alle URLs, die für einen Suchmaschinenzugriff verfügbar sind. Sie kann ebenfalls Angaben zu aktuellen Updates, Häufigkeit von Änderungen und zur Priorität der URLs enthalten. Dies erlaubt Suchmaschinen, Seiten effizienter auszuloten.
	Robots.txt	http://amb.org/robots.txt Sehr gut! Ihre Webseite enthält eine robots.txt-Datei.
	Analytics	Fehlt Wir haben nicht ein Analyse-Tool auf dieser Website installiert zu erkennen. Webanalyse erlaubt die Quantifizierung der Besucherinteraktionen mit Ihrer Seite. Insofern sollte zumindest ein Analysetool installiert werden. Um die Befunde abzusichern, empfiehlt sich das parallele Verwenden

Optimierung

eines zweiten Tools.