



Webseiten-Bericht für cytron.io

Generiert am 05 Juni 2025 21:05 PM

Der Wert ist 41/100



SEO Inhalte

	Seitentitel	Cytron.io - Simplifying Smart Technology Länge : 40 Perfekt, denn Ihr Seitentitel enthält zwischen 10 und 70 Anzahl Zeichen.										
	Seitenbeschreibung	Simplifying Smart Technology for education and industry, by providing products for Artificial Intelligence (AI), Robotics & Electronics projects, including Raspberry Pi, Arduino Uno, Shield, Sensor, Internet of Things, Wireless, Motor Driver and etc. Länge : 254 Ideal, aber Ihre Seitenbeschreibung sollte zwischen 70 und 160 Zeichen (Leerzeichen incinbegriffen) enthalten. Benutzen Sie dieses kostenlose Werkzeug um die Länge zu prüfen.										
	Suchbegriffe	Robotics Kits Electronics Tools Arduino Uno IoT Sensor Raspberry Pi Wireless Board Projects Microcontroller RFID Breakout ecommerce digital making marketplace smart technology Artificial Intelligence AI Gut, denn Ihre Webseite enthält Suchbegriffe.										
	Og META Eigenschaften	Sehr gut, denn diese Webseite nutzt die Vorteile aus den Og Properties. <table><thead><tr><th>Eigenschaft</th><th>Inhalt</th></tr></thead><tbody><tr><td>site_name</td><td>Cytron Technologies</td></tr><tr><td>title</td><td>Cytron Technologies</td></tr><tr><td>url</td><td>https://www.cytron.io/</td></tr><tr><td>description</td><td>Simplifying Smart Technology for education and industry, by providing products for Artificial Intelligence (AI), Robotics & Electronics projects, including Raspberry Pi, Arduino Uno, Shield, Sensor, Internet of Things, Wireless, Motor Driver and etc....</td></tr></tbody></table>	Eigenschaft	Inhalt	site_name	Cytron Technologies	title	Cytron Technologies	url	https://www.cytron.io/	description	Simplifying Smart Technology for education and industry, by providing products for Artificial Intelligence (AI), Robotics & Electronics projects, including Raspberry Pi, Arduino Uno, Shield, Sensor, Internet of Things, Wireless, Motor Driver and etc....
Eigenschaft	Inhalt											
site_name	Cytron Technologies											
title	Cytron Technologies											
url	https://www.cytron.io/											
description	Simplifying Smart Technology for education and industry, by providing products for Artificial Intelligence (AI), Robotics & Electronics projects, including Raspberry Pi, Arduino Uno, Shield, Sensor, Internet of Things, Wireless, Motor Driver and etc....											

SEO Inhalte

type	website
image	https://static.cytron.io/image/cache/catalog/cytron-logo-sdm-2-600x315.png
image:width	600
image:height	315

Überschriften

H1	H2	H3	H4	H5	H6
0	1	9	57	0	0
• [H2] Welcome! Let's Personalize Your Cytron Experience • [H3] Education • [H3] Industry / Enterprise • [H3] Great! Loading your personalized content . . . • [H3] 1 to 1 Replacement • [H3] CytronCash • [H3] Support • [H3] Resources • [H3] About • [H3] Follow Us • [H4] Raspberry Pi • [H4] micro:bit • [H4] Arduino Ecosystem • [H4] Artificial Intelligence • [H4] IoT & Wireless • [H4] Motor & Motor Driver • [H4] 3D Modeling • [H4] Industry • [H4] Development Tools • [H4] Robotics & Electronics • [H4] Junior Makers • [H4] Sensors • [H4] Miscellaneous • [H4] Featured • [H4] Popular • [H4] Login • [H4] 30Amp 7V-35V SmartDrive DC Motor Driver (2 Chan... • [H4] TT Motor with Wheel Kits • [H4] EDU:BIT Training & Project Kit for micro:bit • [H4] Grove to SVG Cable - 200mm length • [H4] Raspberry Pi Camera Module 3 - 12MP with Auto F... • [H4] 1.5Amp 7V-25V DC Motor Driver (4 Channels) • [H4] 40Amp 10V-45V SmartDrive DC Motor Driver • [H4] 10Amp 7V-30V DC Motor Driver for R/C (2 Channels) • [H4] Enclosure Case for Raspberry Pi Camera Module V... • [H4] 30Amp 5V-30V DC Motor Driver • [H4] 13Amp 6V-30V DC Motor Driver • [H4] 8MP Pan Tilt Zoom Camera for Raspberry Pi • [H4] Raspberry Pi 5 Single Board Computer • [H4] Maker UNO: Simplifying Arduino for {Education} • [H4] SG90 Micro Servo • [H4] IR Line Tracking Module • [H4] Breadboard 8.5x5.5cm (400 Holes)					

SEO Inhalte

		• [H4] UC00C (CH340) USB to UART Converter • [H4] 5 Inches TFT Touch Screen For RPI3 and RPI4B • [H4] Classic Retro Super Nintendo USB Gamepad • [H4] 10Amp 5V-30V DC Motor Driver • [H4] 10Amp 5V-30V DC Motor Driver (2 Channels) • [H4] 30Amp 7V-35V SmartDrive DC Motor Driver (2 Chan... • [H4] 10Amp 7V-35V SmartDrive DC Motor Driver (2 Chan... • [H4] Maker Drive: Simplifying H-Bridge Motor Driver ... • [H4] 160Amp 8V-28V SmartDrive DC Motor Driver • [H4] Maker Pi Pico & Kits: Simplifying Raspberry... • [H4] MOTION 2350 Pro - Advanced Robotics Controller ... • [H4] Maker Pi RP2040 : Simplifying Robotics with Ras... • [H4] Maker Line: Simplifying Line Sensor For Beginner • [H4] Maker pHAT: Simplifying Raspberry Pi for {Educa... • [H4] Maker Mini Sumo Controller: Simplifying Sumo Ro... • [H4] EDU PICO with AI Kit (Pico W included) • [H4] EDU:BIT Training & Project Kit for micro:bit • [H4] REKA:BIT (with micro:bit V2 included) - Simplif... • [H4] ZOOM:BIT Robot Car Kit for micro:bit • [H4] PikaBot - Maker UNO Smart Car Kit • [H4] MOTION:BIT Pro - 12V Robotics Expansion Board f... • [H4] IRIV PiControl CM4 Wireless 2GB RAM 16GB eMMC • [H4] IRIV IO Controller - IR4.0 Industrial I/O Contr... • [H4] IRIV SmarHub CM5
	Bilder	Es konnten 86 Bilder auf dieser Webseite gefunden werden. Bei 26 Bilder(n) fehlt ein ALT-Attribut. Fügen Sie ALT-Attribute zu Ihren Bildern, um die Bedeutung der Bilder für Suchmaschinen zugänglich zu machen.
	Text/HTML Verhältnis	Anteil : 10% Das Text zu HTML Code Verhältnis dieser Webseite ist niedriger als 15 Prozent, was bedeutet, dass Sie mehr Inhalte für Ihre Webseite schreiben sollten.
	Flash	Perfekt, denn es wurde kein Flash auf Ihrer Webseite gefunden.
	IFrame	Schlecht, denn Sie verwenden IFrames auf Ihrer Webseite, die von Suchmaschinen nicht indexiert werden können.

SEO Links

	URL Rewrite	Schlecht. Ihre Links sind für Suchmaschinen nicht gut lesbar, denn sie enthalten Parameter.
	Underscores in the URLs	Wir haben Unterstriche in Ihren Links entdeckt. Benutzen Sie zur Optimierung besser Bindestriche in Ihren Links.

SEO Links

	In-page links	We found a total of 177 links including 3 link(s) to files
	Statistics	Externe Links : noFollow 0% Externe Links : natürliche Links 0.56% Interne Links 99.44%

In-page links

Anker	Typ	Natürlich
View Cart	intern	natürliche Links
Industry	intern	natürliche Links
Education	intern	natürliche Links
MYR - Malaysian Ringgit	intern	natürliche Links
SGD - Singapore Dollar	intern	natürliche Links
THB - Thai Baht	intern	natürliche Links
VND - Vietnam Dong	extern	natürliche Links
Raspberry Pi	intern	natürliche Links
Industrial with Raspberry Pi	intern	natürliche Links
Raspberry Pi Main Board	intern	natürliche Links
Raspberry Pi 5 Accessories	intern	natürliche Links
Expansion for Raspberry Pi Pico	intern	natürliche Links
Kits for Raspberry Pi	intern	natürliche Links
Power for Raspberry Pi	intern	natürliche Links
HAT/Carrier Board for Raspberry Pi	intern	natürliche Links
Enclosure for Raspberry Pi	intern	natürliche Links
Display for Raspberry Pi	intern	natürliche Links
Camera for Raspberry Pi	intern	natürliche Links
Accessories for Raspberry Pi	intern	natürliche Links
Books for Raspberry Pi	intern	natürliche Links

In-page links

micro:bit	intern	natürliche Links
micro:bit Main Board	intern	natürliche Links
micro:bit Kits	intern	natürliche Links
micro:bit Expansion Board	intern	natürliche Links
micro:bit Power and Wire	intern	natürliche Links
micro:bit Accessories	intern	natürliche Links
Arduino Ecosystem	intern	natürliche Links
Industrial with Arduino	intern	natürliche Links
Official Arduino Main Board	intern	natürliche Links
Compatible Arduino Main Board	intern	natürliche Links
Shields for Arduino	intern	natürliche Links
Kits Based on Arduino	intern	natürliche Links
Accessories for Arduino	intern	natürliche Links
Artificial Intelligence	intern	natürliche Links
NVidia AI	intern	natürliche Links
Other AI Platforms	intern	natürliche Links
IoT & Wireless	intern	natürliche Links
WiFi	intern	natürliche Links
Bluetooth & RF	intern	natürliche Links
LoRa	intern	natürliche Links
Other Wireless	intern	natürliche Links
Motor & Motor Driver	intern	natürliche Links
Motor Driver	intern	natürliche Links
Motors	intern	natürliche Links
3D Modeling	intern	natürliche Links
3D Printer	intern	natürliche Links
Laser Cutter/Engrave	intern	natürliche Links
Filament	intern	natürliche Links

In-page links

3D Accessories	intern	natürliche Links
Industry	intern	natürliche Links
Industrial Edge Controllers	intern	natürliche Links
HMI	intern	natürliche Links
Router / Switch / Gateway	intern	natürliche Links
DC Motor Drivers	intern	natürliche Links
Sensors & Connectivity	intern	natürliche Links
Accessories	intern	natürliche Links
Development Boards	intern	natürliche Links
Power Supply	intern	natürliche Links
Proof of Concept (POC) Kits	intern	natürliche Links
Industrial Adapter / Converter	intern	natürliche Links
Development Tools	intern	natürliche Links
Maker Series	intern	natürliche Links
PIC Microcontroller & RISC-V	intern	natürliche Links
Educational Training Kit	intern	natürliche Links
Computer Interface	intern	natürliche Links
ARM Development Tool	intern	natürliche Links
Tools and Equipments	intern	natürliche Links
Robotics & Electronics	intern	natürliche Links
Sumo Robot / Robot Battle	intern	natürliche Links
Hardware	intern	natürliche Links
Robot Accessories	intern	natürliche Links
Power	intern	natürliche Links
Electronic Components	intern	natürliche Links
Makeblock	intern	natürliche Links
Junior Makers	intern	natürliche Links
12 Years Old & Above	intern	natürliche Links

In-page links

8 Years Old & Above	intern	natürliche Links
6 Years Old & Above	intern	natürliche Links
Sensors	intern	natürliche Links
Sensor Kits	intern	natürliche Links
Crowtail Modules	intern	natürliche Links
Infrared / Light	intern	natürliche Links
Line Tracking	intern	natürliche Links
Ultrasonic / Laser Range Finder	intern	natürliche Links
Gas	intern	natürliche Links
Liquid / Flow / pH	intern	natürliche Links
Biometric Sensor	intern	natürliche Links
Flex / Force / Touch	intern	natürliche Links
Temperature / Humidity / Pressure	intern	natürliche Links
GPS / Compass	intern	natürliche Links
Rotary Encoder	intern	natürliche Links
Camera	intern	natürliche Links
Motion	intern	natürliche Links
Current Sensor	intern	natürliche Links
Other Sensors	intern	natürliche Links
Miscellaneous	intern	natürliche Links
Merchandise/ T-Shirt	intern	natürliche Links
Workshop & Training	intern	natürliche Links
Stock Clearance	intern	natürliche Links
New Arrivals	intern	natürliche Links
Best Sellers	intern	natürliche Links
Special Offers	intern	natürliche Links
Brands	intern	natürliche Links
Kit by Cytron	intern	natürliche Links

In-page links

Young Makers	intern	natürliche Links
Maker's Selection	intern	natürliche Links
Artificial Intelligence (AI)	intern	natürliche Links
MICRO:BIT	intern	natürliche Links
Forgot Password?	intern	natürliche Links
Don't have an account yet? Sign Up	intern	natürliche Links
Weekly Best Sellers	intern	natürliche Links
View More	intern	natürliche Links
30Amp 7V-35V SmartDrive DC Motor Driver (2 Chan...	intern	natürliche Links
Add to Cart	intern	natürliche Links
TT Motor with Wheel Kits	intern	natürliche Links
Add to Cart	intern	natürliche Links
EDU:BIT Training & Project Kit for micro:bit	intern	natürliche Links
Grove to SVG Cable - 200mm length	intern	natürliche Links
Add to Cart	intern	natürliche Links
Raspberry Pi Camera Module 3 - 12MP with Auto F...	intern	natürliche Links
1.5Amp 7V-25V DC Motor Driver (4 Channels)	intern	natürliche Links
40Amp 10V-45V SmartDrive DC Motor Driver	intern	natürliche Links
10Amp 7V-30V DC Motor Driver for R/C (2 Channels)	intern	natürliche Links
Enclosure Case for Raspberry Pi Camera Module V...	intern	natürliche Links
30Amp 5V-30V DC Motor Driver	intern	natürliche Links
Add to Cart	intern	natürliche Links
13Amp 6V-30V DC Motor Driver	intern	natürliche Links
8MP Pan Tilt Zoom Camera for Raspberry Pi	intern	natürliche Links
Add to Cart	intern	natürliche Links
Raspberry Pi 5 Single Board Computer	intern	natürliche Links
Maker UNO: Simplifying Arduino for {Education}	intern	natürliche Links
SG90 Micro Servo	intern	natürliche Links

In-page links

IR Line Tracking Module	intern	natürliche Links
Breadboard 8.5x5.5cm (400 Holes)	intern	natürliche Links
UC00C (CH340) USB to UART Converter	intern	natürliche Links
5 Inches TFT Touch Screen For RPI3 and RPI4B	intern	natürliche Links
Classic Retro Super Nintendo USB Gamepad	intern	natürliche Links
Motor Driver	intern	natürliche Links
10Amp 5V-30V DC Motor Driver	intern	natürliche Links
Notify me!	intern	natürliche Links
10Amp 5V-30V DC Motor Driver (2 Channels)	intern	natürliche Links
10Amp 7V-35V SmartDrive DC Motor Driver (2 Chan...	intern	natürliche Links
Maker Drive: Simplifying H-Bridge Motor Driver ...	intern	natürliche Links
160Amp 8V-28V SmartDrive DC Motor Driver	intern	natürliche Links
Maker Series Products	intern	natürliche Links
Add to Cart	intern	natürliche Links
Maker Pi Pico & Kits: Simplifying Raspberry...	intern	natürliche Links
MOTION 2350 Pro - Advanced Robotics Controller ...	intern	natürliche Links
Maker Pi RP2040 : Simplifying Robotics with Ras...	intern	natürliche Links
Maker Line: Simplifying Line Sensor For Beginner	intern	natürliche Links
Maker pHAT: Simplifying Raspberry Pi for {Educa...	intern	natürliche Links
Maker Mini Sumo Controller: Simplifying Sumo Ro...	intern	natürliche Links
Education Training Kits	intern	natürliche Links
EDU PICO with AI Kit (Pico W included)	intern	natürliche Links
EDU:BIT Training & Project Kit for micro:bit	intern	natürliche Links
REKA:BIT (with micro:bit V2 included) - Simplif...	intern	natürliche Links
Add to Cart	intern	natürliche Links
ZOOM:BIT Robot Car Kit for micro:bit	intern	natürliche Links
Add to Cart	intern	natürliche Links
PikaBot - Maker UNO Smart Car Kit	intern	natürliche Links

In-page links

MOTION:BIT Pro - 12V Robotics Expansion Board f...	intern	natürliche Links
Industry Solution	intern	natürliche Links
Notify me!	intern	natürliche Links
IRIV PiControl CM4 Wireless 2GB RAM 16GB eMMC	intern	natürliche Links
Notify me!	intern	natürliche Links
IRIV IO Controller - IR4.0 Industrial I/O Contr...	intern	natürliche Links
Add to Cart	intern	natürliche Links
IRIV SmartHub CM5	intern	natürliche Links
Latest Tutorial	intern	natürliche Links
Getting Started with ESP32 & Blynk	intern	natürliche Links
Create your own Cloud Storage with Raspberry Pi (PiCloud)	intern	natürliche Links
Smart Dustbin with ESP32	intern	natürliche Links
Top ESP32 Projects to Kickstart Your IoT Journey	intern	natürliche Links
Getting Started with FreeRTOS on ESP32	intern	natürliche Links
1	intern	natürliche Links
&nbsp;to 1 Replacement	intern	natürliche Links
CytronCash	intern	natürliche Links

SEO Suchbegriffe

	Suchbegriffswolke	cart seller microbit add best motor driver tax raspberry maker
--	-------------------	--

Keywords Consistency

Suchbegriff	Inhalt	Seitentite l	Suchbegri ffe	Seitenbes chreibung	Überschri ften
tax	41	×	×	×	×
cart	39	×	×	×	×

Keywords Consistency

add	38	✖	✖	✖	✖
best	24	✖	✖	✖	✖
seller	22	✖	✖	✖	✖

Benutzerfreundlichkeit

	URL	Domain : cytron.io Länge : 9
	Favoriten Icon	Gut. Die Webseite hat ein Favicon.
	Druckeigenschaften	Es konnten keine druckfreundlichen CSS-Angaben gefunden werden.
	Sprache	Gut, denn Sie haben in den META-Elementen eine Sprache deklariert: en.
	Dublin Core	Diese Webseite nutzt nicht die Vorteile der Dublin Core Elemente.

Dokument

	Doctype	HTML 5				
	Verschlüsselung	Perfekt, denn Ihre Webseite deklariert einen Zeichensatz: UTF-8.				
	W3C Validität	Fehler : 63 Warnungen : 9				
	E-Mail Datenschutz	Achtung! Es wurde mindestens eine E-Mail Adresse im Klartext auf Ihrer Webseite gefunden. Benutzen Sie dieses kostenlose Werkzeug um E-Mail Adressen vor SPAM zu schützen.				
	Veraltetes HTML	<table><tr><th>Veraltete Tags</th><th>Vorkommen</th></tr><tr><td><center></td><td>2</td></tr></table> Überholte (deprecated) HTML Tags sind HTML Tags, die zwar aktuell funktionieren, aber bald nicht mehr von jedem Browser unterstützt werden. Wir empfehlen Ihnen diese überholten HTML Tags durch aktuelle HTML Tags zu ersetzen.	Veraltete Tags	Vorkommen	<center>	2
Veraltete Tags	Vorkommen					
<center>	2					

Dokument



Tipps zur Webseitengeschwindigkeit



Sehr gut, denn Ihre Webseite benutzt keine verschachtelten Tabellen.



Schlecht, denn es wurden CSS-Angaben in HTML-Elementen entdeckt. Diese Angaben sollten in ein entsprechendes CSS-Stylesheet verlagert werden.



Gut, denn Ihre Webseite enthält nur wenig CSS-Dateien.



Perfekt, denn Ihre Webseite enthält nur wenig Javascript-Dateien.



Gut! Sie nutzen die Vorteile von gzip.

Mobile



Mobile Optimierung



Apple Icon



META Viewport Tag



Flash Inhalt

Optimierung



XML-Sitemap

Perfekt! Ihre Seite hat eine XML-Sitemap.

<https://www.cytron.io/sitemap.xml>



Robots.txt

<http://cytron.io/robots.txt>

Sehr gut! Ihre Webseite enthält eine robots.txt-Datei.



Analytics

Fehlt

Wir haben nicht ein Analyse-Tool auf dieser Website installiert zu erkennen.

Webanalyse erlaubt die Quantifizierung der Besucherinteraktionen mit Ihrer Seite. Insofern sollte zumindest ein Analysetool installiert werden. Um die Befunde abzusichern, empfiehlt sich das parallele Verwenden eines zweiten Tools.