



Evaluation du site amb.org

Généré le 06 Juin 2025 20:00

Le score est de 43/100



Optimisation du contenu

	Titre	AMB Laboratories Longueur : 16 Parfait, votre titre contient entre 10 et 70 caractères.
	Description	AMB Laboratories Longueur : 16 Idéalement, votre balise META description devrait contenir entre 70 et 160 caractères (espaces compris). Utilisez cet outil gratuit pour calculer la longueur du texte.
	Mots-clefs	amb, mini3, mini^3, Mini³, mini 3, mini-cubed, cavalli, kan, kumisa, ck2, ck3, ck2iii, ckkiii, ckk3, sigma22, sigma 22, s22, σ22, sigma11, sigma 11, s11, σ11, sigma25, sigma 25, s25, σ25, sigma26, sigma 26, s26, σ26, sigma24, sigma 24, s24, σ24, sigma78, sigma 78, s78, σ78, sigma79, sigma 79, s79, σ79, alpha10, alpha 10, a10, α10, alpha20, alpha 20, a20, α20, alpha24, alpha 24, a24, α24, beta22, beta 22, b22, β22, beta24, beta 24, b24, β24, gamma1, γ1, γ1, gamma1.5, gamma 1.5, γ1.5, γ1.5, gamma2, gamma 2, γ2, γ2, gamma3, gamma 3, γ3, γ3, gamma24, gamma 24, γ24, γ24, epsilon21, epsilon 21, e21, ε21, epsilon22, epsilon 22, e22, ε22, epsilon27, epsilon 27, e27, ε27, epsilon12, epsilon 12, e12, ε12, kappaDCX, kappadcx, kappa DCX, kDCX, kdcx, κDCX, mmm, m-cubed, m3, m^3, M³, omicron 1, omicron1, o1, o1, zeta1, zeta 1, z1, ζ1, audio-widget, audio widget, lcduino-1, lcduino1, lcduino, delta1, delta 1, d1, δ1, delta2, delta 2, d2, δ2, chi1, chi 1, x1, χ1, jisbos, headphone, headphones, earphone, amplifier, mosfet, amp, opamp, op-amp, audio, audiophile, protection, balanced, unbalanced, single ended, active ground, sennheiser, akh, beyer dynamic, grado, etymotic, grace, koss, sony, ppa, pimeta, mint, pint, meta42, steps, cmoy, dynahi, dynalo, dynamid, dynamite, dynamight, kevin gilmore, headroom, headsave, headamp, larocco, ppl, morsel, tangent, diy, sds labs, sheldon stokes, szekeres, head-fi, headwize, hi-fi, high-fidelity, high-end, music, electronics, behringer, ultradrive, ultradrive pro, dcx2496, dcx2496le, DCX2496, DCX2496LE, digital signal processing, dsp, electronic crossover, loudspeaker management, sft, jmt, misterx, rockhopper, ybm audio, beezar, mute audio, toole audio, ecp audio, doodlebug, grubdac, pete millett, ssmh, starving student, millett hybrid, millett max, minimax, skeleton dac, torpedo, walt jung, erno borbely, john curl, nelson pass, passdiy, pass labs, siegfried, linkwitz, hafler, dynaco, twisted pear, henry audio,

Optimisation du contenu

massdrop

Bien, votre page contient une balise META keywords.



Propriétés Open Graph

Bien, cette page profite des balises META Open Graph.

Propriété	Contenu
url	https://www.amb.org/
type	website
title	AMB Laboratories DIY audio resources
description	AMB Laboratories DIY audio resources
image	https://www.amb.org/audio/amb-logo.jpg



Niveaux de titre

H1	H2	H3	H4	H5	H6
0	0	5	4	0	0

- [H3] DIY Audio Resources
- [H3] AMB projects
- [H3] Shop
- [H3] Forum
- [H3] Links
- [H4] Resources
- [H4] Audio-related Web Forums
- [H4] Online Calculators
- [H4] Vendors



Images

Nous avons trouvé 8 image(s) sur cette page Web.

7 attribut(s) alt sont vides ou manquants. Ajouter un texte alternatif permet aux moteurs de recherche de mieux comprendre le contenu de vos images.



Ratio texte/HTML

Ratio : 1%

le ratio de cette page texte/HTML est au-dessous de 15 pour cent, ce qui signifie que votre site manque de contenu textuel.



Flash

Parfait, aucun contenu FLASH n'a été détecté sur cette page.



Iframe

Génial, il n'y a pas d'Iframes détectés sur cette page.

Liens

	Réécriture d'URLs	Bien. Vos liens sont optimisés!
	Tiret bas dans les URLs	Nous avons détectés des soulignements dans vos URLs. Vous devriez plutôt utiliser des tirets pour optimiser votre référencement.
	Liens dans la page	Nous avons trouvé un total de 146 lien(s) dont 6 lien(s) vers des fichiers
	Statistics	Liens externes : noFollow 0% Liens externes : Passing Juice 75.34% Liens internes 24.66%

Liens dans la page

Texte d'ancree	Type	Juice
&nbsp;Share	Externe	Passing Juice
AMB audio shop	Interne	Passing Juice
AMB DIY audio forum	Interne	Passing Juice
&alpha;10 stereo pre-amplifier	Interne	Passing Juice
&alpha;20 high performance line amplifier	Interne	Passing Juice
&alpha;24 fully-differential line amplifier	Interne	Passing Juice
&beta;24 fully-differential power amplifier	Interne	Passing Juice
LCDuino-1 display I/O processor	Interne	Passing Juice
&delta;1 relay-based R-2R stereo attenuator	Interne	Passing Juice
&delta;2 relay-based stereo input/output selector	Interne	Passing Juice
Mini&sup3; portable stereo headphone amplifier	Interne	Passing Juice
&chi;1 LiPo battery management board	Interne	Passing Juice
M&sup3; stereo headphone amplifier	Interne	Passing Juice
Cavalli-Kan Kumisa III stereo headphone amplifier	Interne	Passing Juice
&beta;22 stereo amplifier	Interne	Passing Juice
&epsilon;21 backplane board	Interne	Passing Juice

Liens dans la page

&epsilon;:22 backplane board	Interne	Passing Juice
&gamma;:1 modular miniature DAC	Interne	Passing Juice
&gamma;:1.5 miniature high resolution USB DAC + headphone amplifier	Interne	Passing Juice
&gamma;:2 compact high performance DAC	Interne	Passing Juice
&gamma;:3 high resolution DAC	Interne	Passing Juice
&gamma;:24 high performance DAC core	Interne	Passing Juice
&zeta;:1 Audio Widget asynchronous USB-I²S module	Interne	Passing Juice
&sigma;:11 regulated power supply	Interne	Passing Juice
&sigma;:22 regulated power supply	Interne	Passing Juice
&sigma;:24 transformer board	Interne	Passing Juice
&sigma;:25 positive regulated power supply	Interne	Passing Juice
&sigma;:26 negative regulated power supply	Interne	Passing Juice
&sigma;:78 and &sigma;:79 ultra low noise voltage regulators	Interne	Passing Juice
&kappa;:DCX fully-differential analog board for Behringer DCX2496 and DCX2496LE	Interne	Passing Juice
&omicron;:1 precision master clock	Interne	Passing Juice
&epsilon;:12 muting delay & DC offset protection circuit	Interne	Passing Juice
&epsilon;:24 power switch driver circuit	Interne	Passing Juice
&epsilon;:27 volume control pot mounting board	Interne	Passing Juice
Acoustic Treatment and Design for Recording Studios and Listening Rooms	Externe	Passing Juice
AllAboutCircuits: news, articles, education and projects	Externe	Passing Juice
AudioXpress	Externe	Passing Juice
Audio Component Grounding and Interconnection	Externe	Passing Juice
Audio Test Files	Externe	Passing Juice
Basic soldering tips	Interne	Passing Juice
Circuit diagram	Externe	Passing Juice
Considerations for a High Performance Capacitor	Externe	Passing Juice
Counterfeit transistors	Externe	Passing Juice

Liens dans la page

DIY A/V RCA Compression Connector Cables	Externe	Passing Juice
DIY Audio Projects	Externe	Passing Juice
DMMs (digital multimeters)	Externe	Passing Juice
Datasheet Archive	Externe	Passing Juice
Discover Circuits	Externe	Passing Juice
Krishu.de	Externe	Passing Juice
EE Power	Externe	Passing Juice
EEweb Forum	Externe	Passing Juice
EEweb Germany	Externe	Passing Juice
Electronics Point	Externe	Passing Juice
Eminent Technology's Multimedia Loudspeaker Test	Externe	Passing Juice
How to evaluate changes in my playback system	Externe	Passing Juice
JFET biasing tutorial	Externe	Passing Juice
Linear Audio	Externe	Passing Juice
Lynn Olson's "The Art of Speaker Design"	Externe	Passing Juice
Mil-spec resistors	Externe	Passing Juice
MOSFET Testing	Externe	Passing Juice
Measurements	Externe	Passing Juice
Mounting considerations for power semiconductors	Externe	Passing Juice
Nelson Pass (Pass Labs) DIY site	Externe	Passing Juice
(Part I)	Externe	Passing Juice
(Part II)	Externe	Passing Juice
Per-Anders Sjöström's hifi pages	Externe	Passing Juice
RaneNote 110	Externe	Passing Juice
RaneNote 151	Externe	Passing Juice
RightMark Audio Analyzer (RMAA)	Externe	Passing Juice
Sam Electronic Circuits	Externe	Passing Juice
Standard resistor values	Externe	Passing Juice

Liens dans la page

Studio Articles & Advice	Externe	Passing Juice
Surface mount soldering 101	Externe	Passing Juice
Tangent's Audiologica	Externe	Passing Juice
The Amplifier Institute	Externe	Passing Juice
The Art of Electronics	Externe	Passing Juice
The Sound of Capacitors	Externe	Passing Juice
"Upgrading" computers with linear regulated power supplies	Externe	Passing Juice
W. Marshall Leach's web site	Externe	Passing Juice
Walt Jung's web site	Externe	Passing Juice
Zener diode reference	Externe	Passing Juice
AndAudio.com	Externe	Passing Juice
Audiohall	Externe	Passing Juice
Audio Asylum	Externe	Passing Juice
AudioCircle.com	Externe	Passing Juice
diyAudio.com	Externe	Passing Juice
diyforums.org	Externe	Passing Juice
erji.net	Externe	Passing Juice
Headwize Memorial	Externe	Passing Juice
Head-case.org	Externe	Passing Juice
Head-Fi.org	Externe	Passing Juice
headphoneamp.co.kr	Externe	Passing Juice
sgheadphones.net	Externe	Passing Juice
tapeheads.net	Externe	Passing Juice
Capacitor value unit conversion	Externe	Passing Juice
dB to voltage gain calculator	Externe	Passing Juice
Voltage gain to dB calculator	Externe	Passing Juice
A collection of calculators for electronics	Externe	Passing Juice
LED current-limiting resistor value calculator	Externe	Passing Juice

Liens dans la page

LM317 voltage regulator resistor values calculator	Externe	Passing Juice
Op-amp noise calculator	Externe	Passing Juice
Phono cartridge loading resistance and capacitance	Externe	Passing Juice
Resistor color bands	Externe	Passing Juice
Various speaker design related calculators	Externe	Passing Juice
Stepped attenuator resistor values	Externe	Passing Juice
Wire inductance calculator	Externe	Passing Juice
Wire resistance calculator	Externe	Passing Juice
Allied Electronics	Externe	Passing Juice
Angela Instruments	Externe	Passing Juice
Apex Jr.	Externe	Passing Juice
Audio Nirvana	Externe	Passing Juice
Avel-Lindberg	Externe	Passing Juice
B&D Enterprises	Externe	Passing Juice
CadSoft Eagle Lite	Externe	Passing Juice
Cimarron Technology	Externe	Passing Juice
Circuit Specialists	Externe	Passing Juice
Web-tronics.com	Externe	Passing Juice
Conrad Heatsinks	Externe	Passing Juice
Digi-key	Externe	Passing Juice
Element14	Externe	Passing Juice
Elliot Sound Products	Externe	Passing Juice
ERSE Audio	Externe	Passing Juice
Express PCB	Externe	Passing Juice
Farnell	Externe	Passing Juice
Front Panel Express	Externe	Passing Juice
Hammond Manufacturing	Externe	Passing Juice
Handmade	Externe	Passing Juice

Liens dans la page

Imagineering (PCBnet)	Externe	Passing Juice
Lansing Enclosures	Externe	Passing Juice
Madisound Speaker Components	Externe	Passing Juice
Mills Precision Audio	Externe	Passing Juice
Mouser	Externe	Passing Juice
MCM Electronics	Externe	Passing Juice
Newark Electronics	Externe	Passing Juice
Par Metal	Externe	Passing Juice
Parts Connexion	Externe	Passing Juice
Parts Express	Externe	Passing Juice
Percy Audio	Externe	Passing Juice
Plitron	Externe	Passing Juice
PCBway	Externe	Passing Juice
RS Components	Externe	Passing Juice
Speaker City	Externe	Passing Juice
SumR (Richard Sumner Technology)	Externe	Passing Juice
THL Audio	Externe	Passing Juice
contact form	Interne	Passing Juice
=	Interne	Passing Juice

Mots-clefs

	Nuage de mots-clefs	share laboratories amb amb facebook
--	---------------------	-------------------------------------

Cohérence des mots-clefs

Mot-clef	Contenu	Titre	Mots-clefs	Description	Niveaux de titre
amb	1	✓	✓	✓	✓

Cohérence des mots-clefs

laboratories	1	✓	✗	✓	✗
share	1	✗	✗	✗	✗
amb	1	✗	✗	✗	✗
facebook	1	✗	✗	✗	✗

Ergonomie

	Url	Domaine : amb.org Longueur : 7
	Favicon	Génial, votre site web dispose d'un favicon.
	Imprimabilité	Aucun style CSS pour optimiser l'impression n'a pu être trouvé.
	Langue	Vous n'avez pas précisé la langue. Utilisez ce générateur gratuit de balises META en ligne pour préciser la langue de votre site
	Dublin Core	Cette page ne profite pas des métadonnées Dublin Core.

Document

	Doctype	Doctype manquant						
	Encodage	Parfait. Votre charset est UTF-8.						
	Validité W3C	Erreurs : 4 Avertissements : 0						
	E-mail confidentialité	Génial, aucune adresse e-mail n'a été trouvé sous forme de texte!						
	HTML obsolètes	<table><tr><th>Tags obsolètes</th><th>Occurrences</th></tr><tr><td></td><td>2</td></tr><tr><td><dir></td><td>4</td></tr></table> Les balises HTML obsolètes sont des balises qui ne sont plus utilisés. Il	Tags obsolètes	Occurrences		2	<dir>	4
Tags obsolètes	Occurrences							
	2							
<dir>	4							

Document

		est recommandé de supprimer ou de remplacer ces balises HTML, car elles sont désormais obsolètes.
	Astuces vitesse	 Attention! Essayez d'éviter les tableaux imbriqués au format HTML.  Mauvais, votre site web utilise des styles css inline.  Génial, votre site web contient peu de fichiers CSS.  Parfait, votre site web contient peu de fichiers javascript.  Dommage, votre site n'est pas optimisé avec gzip.

Mobile

	Optimisation mobile	 Icône Apple  Méta tags viewport  Contenu FLASH
--	---------------------	---

Optimisation

	Sitemap XML	Manquant Votre site web ne dispose pas d'une sitemap XML, ce qui peut poser problème. La sitemap recense les URLs que les moteurs de recherche peuvent indexer, tout en proposant d'éventuelles informations supplémentaires (comme la date de dernière mise à jour, la fréquence des changements, ainsi que leur niveau d'importance). Ceci permet aux moteurs de recherche de parcourir le site de façon plus efficace.
	Robots.txt	http://amb.org/robots.txt Votre site dispose d'un fichier robots.txt, ce qui est optimal.
	Mesures d'audience	Manquant Nous n'avons trouvé aucun outil d'analytics sur ce site. Un outil de mesure d'audience vous permet d'analyser l'activité des visiteurs sur votre site. Vous devriez installer au moins un outil Analytics. Il est souvent utile d'en rajouter un second, afin de confirmer les résultats du premier.